	Application No.	Applicant(s)
•		
Notice of Allowability	10/518,287	SAKAI ET AL.
Nouce of Allowability	Examiner	Art Unit
	Aaron S. Austin	1794
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <i>the Reply of 10/1/07</i> .		
2. The allowed claim(s) is/are <u>1-7 and 9-16</u> .		
3.		
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal I 6. ☐ Interview Summary Paper No./Mail Da 7. ☐ Examiner's Amend 8. ☑ Examiner's Statem 9. ☐ Other	/ (PTO-413), ate

Application/Control Number: 10/518,287 Page 2

Art Unit: 1794

## **REASONS FOR ALLOWANCE**

The following is an examiner's statement of reasons for allowance: the prior art of record does not teach or provide motivation to form an artificial stone wall material comprising a composition of elements structurally related as set forth in claim(s) 1-7 and 9-16. Specifically, the prior art fails to teach forming a concavo-convex surface having a maximum height between concavity and convexity ranging from 5 mm to 100 mm in combination with the structural elements claimed. It is noted that this range in height is taught as being necessary for optimal interaction between radiation and the transparent inorganic fine particles (page 8 of the present specification).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Aaron S. Austin whose telephone number is (571) 272-8935. The examiner can normally be reached on Monday-Friday: 7:30 AM to 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Terrel Morris can be reached on (571) 272-1478. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/518,287 Page 3

Art Unit: 1794

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

ASA

JOHN J. ZIMMERMAN PRIMARY EXAMINER